



Harmonised Product Standard

**EN 16034:2014**

**EN 14351-1:2006+A2:2016**

## **Declaration of Performance**

Type of construction product:  
Window/Facade elements

**Natre Nordic Edge  
Ventilation unit, Wood/Alu  
Fire element EI60**

DOP no.:

**VU-GENP-GNP-WA-EI60-20260501**

The performance of the Window/Facade elements in the product line  
Natre Nordic Edge; Ventilation unit, Wood/Alu are in conformity with the declared in the following pages.

This Declaration of Performance is issued under the sole responsibility of DOVISTA A/S.  
System of assessment and verification of constancy of performance of the construction product: (AVCP)  
System 1 – for fire resistance and/or smoke control characteristics, EN 16034:2014, NB 1071/2253  
(AVCP) System 3 – for general performance, EN 14351-1:2006+A2:2016, NB 1071

Intended use:

For domestic and commercial buildings

## **DOVISTA A/S**

Bygholm Søpark 21D, 8700 Horsens, Denmark

Notified Bodies (Test institute):

NB 1071 - SINTEF AS, SINTEF Community, Norway

NB 1071/2253 - SINTEF AS, SINTEF Community, Norway/GRYFIT Lab., Poland

Windows and Doors containing Electrical and Electronic Equipment are in conformity with RoHS (Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment) as amended by Directive 2015/863/EU.


Date:

30 april 2026

---

Horsens

Signed on behalf of DOVISTA A/S



---

Allan Lindhard Jørgensen  
CEO, DOVISTA A/S

# Declaration of Performance Natre Nordic Edge; Ventilation unit, Wood/Alu

VU-GENP-GNP-WA-EI60-20260501

	4.2 Resistance to windload	4.5 Water tightness	4.6 Dangerous substances	4.8 Load bearing capacity of safety devices	4.11 Acoustic performance	4.12 * Thermal transmittance coefficient	4.13 * Radiation properties	4.14 Air permeability	4.4 Fire Performance
Opening function					Sys. 3, EN 14351-1				Sys. 1, EN 16034

VU	Ventilation unit								
Declared value	NPD	NPD	None	N/A	NPD	0,80 (W/m2K)***	N/A	NPD	EI60
Classification standard	-	-	-	-	-	EN 14609:2004	-	-	EN 13501-2:2023
Test standard	-	-	-	-	-	EN ISO 10077-2: 2003/2012	-	-	EN 1364-5:2017
Notified body	-	-	-	-	-	NB 1071	-	-	NB 1071/2253
Test report	-	-	-	-	-	2023:00856/2023-Sep.	-	-	LBO-1785_24E_REPORT_2024-10-1
Tested size (mm), WxH	-	-	-	-	-	1230 x 1480	-	-	578 x 1578
Classification report	-	-	-	-	-	-	-	-	LBO-1785-K-24E_CLASS_2024-10-17
Certificat	-	-	-	-	-	-	-	-	PS 3902

\*Thermal transmission coefficient (4.12) and radiation properties (4.13) of a specific product is provided in quotations and order confirmations in accordance with EN 14351-1:2006+A2:2016.

\*\* Declared values see sheet "4.11, Acoustic performance"

\*\*\* The value is a calculated value, derived from the tested size in the ITC report and proportionally adjusted to a standard size.